

Recombinant Tumor Necrosis Factor Alpha (TNF α)

Catalog No.: TP04238

50 μ g

Sequence Information

Species: Rat

Gene ID:24835

Swiss Prot:P16599

Synonyms:DIF; TNF-A; TNFSF2; Cachectin;
Tumor Necrosis Factor Ligand
Superfamily Member 2

Residues:Leu80~Leu235

LRSSSQNSSDKPVAHVVANHQAEEQLEWLSQRANALLANGMDLKDNQLVVPADG

LYLIYSQVLFKQGCPDYVLLTHTVSRFAISYQEKVSLLSAIKSPCKDTPEGA

ELKPWYEPMYLGGVFQLEKGDLLSAEVNLPKYLDITESGQVYFGVIAL

Product Information

Source: Prokaryotic expression.

Host: *E. coli*

Tags:N-terminal His Tag

Subcellular Location: Secreted.

Purity: >90%

Traits: Freeze-dried powder

Buffer formulation:PBS, pH7.4, containing 0.1% SKL, 5% Trehalose.

Original Concentration: 1500 μ g/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.0

Predicted Molecular Mass: 21.0kDa

Accurate Molecular Mass: 21kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was

determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. Gene Sequencing (Extract)




Figure 2. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any



issue if the kit was used in clinical diagnostic or any other procedures.