

## **Recombinant Mitogen Activated Protein Kinase Kinase 1 (MAP2K1)**

Catalog No.: **TP09113** 50µg

**Sequence Information** 

Species: Human Gene ID:5604

Swiss Prot:Q02750 Synonyms:MAPKK1; MEK1; MKK1;

PRKMK1; Dual specificity

mitogen-activated protein kinase kinase

1; ERK activator kinase 1

Residues:Leu54~Val369

LTQKQKVGELKDDDFEKISELGAGNGGVVFKVSHKPSGLVMARKLIHLEIKPAI

RNQIIRELQVLHECNSPYIVGFYGAFYSDGEISICMEHMDGGSLDQVLKKAGRI

PEQILGKVSIAVIKGLTYLREKHKIMHRDVKPSNILVNSRGEIKLCDFGVSGQL

IDSMANSFVGTRSYMSPERLQGTHYSVQSDIWSMGLSLVEMAVGRYPIPPPDAK

ELELMFGCOVEGDAAETPPRPRTPGRPLSSYGMDSRPPMAIFELLDYIVNEPPP

KLPSGVFSLEFQDFVNKCLIKNPAERADLKQLMVHAFIKRSDAEEV

**Product Information** 

**Source:** Recombinant expression.

Host: E.coli

**Tags:** N-terminal His Tag

Subcellular Location: Membrane, Cytoplasm.

**Purity: >90%** 

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.0

Predicted Molecular Mass: 38.8kDa

**Accurate Molecular Mass:** 38kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.5 mg/mL. Do not vortex.



## [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [IDENTIFICATION]




Figure 1. Gene Sequencing (Extract)




Figure 2. SDS-PAGE

## [ IMPORTANT NOTE ]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

