

Recombinant Ubiquitin Specific Peptidase 8 (USP8)

Catalog No.: **TP09121** 50µg

Sequence Information

Species: Human Gene ID:9101

Swiss Prot:P40818 Synonyms:HumORF8; UBPY; Ubiquitin

Carboxyl-Terminal Hydrolase 8;

Ubiquitin Specific Protease 8;

Deubiquitinating enzyme 8; Ubiquitin

isopeptidase Y; Ubiquitin thioesterase 8

Residues: Thr777~Thr1118

TGLRNLGNTCYMNSILQCLCNAPHLADYFNRNCYQDDINRSNLLGHKGEVAEEF

GIIMKALWTGQYRYISPKDFKITIGKINDQFAGYSQQDSQELLLFLMDGLHEDL

NKADNRKRYKEENNDHLDDFKAAEHAWQKHKQLNESIIVALFQGQFKSTVQCLT

CHKKSRTFEAFMYLSLPLASTSKCTLQDCLRLFSKEEKLTDNNRFYCSHCRARR

DSLKKIEIWKLPPVLLVHLKRFSYDGRWKOKLOTSVDFPLENLDLSQYVIGPKN

NLKKYNLFSVSNHYGGLDGGHYTAYCKNAARORWFKFDDHEVSDISVSSVKSSA

AYILFYTSLGPRVTDVAT

Product Information

Source: Recombinant expression.

Host: E.coli

Tags: N-terminal His Tag

Subcellular Location: Membrane, Nucleus, Cytoplasm.

Purity: >90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.8

Predicted Molecular Mass: 43.3kDa

A count Malacelar Massa 401D - -- determined by CDC DA

Accurate Molecular Mass: 43kDa as determined by SDS-PAGE reducing conditions.



[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.