

Recombinant Tubulin Folding Cofactor A (TBCA)

Catalog No.: TP04156 100µg

Sequence Information

Species: Human Gene ID:6902

Swiss Prot: O75347 Synonyms: Tubulin folding cofactor A,

chaperonin cofactor a, tubulin specific

chaperone a, TBCA, Tubulin folding

cofactor A CFA, Co chaperonin associated

with a & b tubulin, Cofactor A, TCP1

chaperonin cofactor A, Tubulin cofactor a.

Residues: Met1~Ala108

MADPRVRQIKIKTGVVKRLVKEKVMYEKEAKQQEEKIEKMRAEDGEN

YDIKKQAEILQESRMMIPDCQRRLEAAYLDLQRILENEKDLEEAEEY

KEARLVLDSVKLEA

Product Information

Source: Prokaryotic expression.

Host: E. coli

Tags: N-terminal His Tag

Subcellular Location: Cytoplasm.

Purity: >90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.3

Predicted Molecular Mass: 16.4kDa

Accurate Molecular Mass: 19kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.



Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is

less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.