

Recombinant Human Sex Hormone Binding Globulin (SHBG)

Catalog No.: TP09556 50µg

Sequence Information

Species: Human Gene ID:6462

Swiss Prot:P04278 Synonyms: ABP; TEBG; SBP; Sex

steroid-binding protein; Testis-specific

androgen-binding protein;

Testosterone-estradiol-binding globulin;

Testosterone-estrogen-binding globulin

Residues: Arg31~Ser401

RPVLPTQSAHDPPAVHLSNGPGQEPIAVMTFDLTKITKTSSSFEVRTWDPEGVI

FYGDTNPKDDWFMLGLRDGRPEIQLHNHWAQLTVGAGPRLDDGRWHQVEVKMEG

DSVLLEVDGEEVLRLRQVSGPLTSKRHPIMRIALGGLLFPASNLRLPLVPALDG

CLRRDSWLDKQAEISASAPTSLRSCDVESNPGIFLPPGTQAEFNLRDIPQPHAE

PWAFSLDLGLKQAAGSGHLLALGTPENPSWLSLHLQDQKVVLSSGSGPGLDLPL

VLGLPLQLKLSMSRVVLSQGSKMKALALPPLGLAPLLNLWAKPQGRLFLGALPG

EDSSTSFCLNGLWAQGQRLDVDQALNRSHEIWTHSCPQSPGNGTDAS

Product Information

Source: Eukaryotic expression.

Host: 293F cell

Tags: N-terminal His-Tag

Subcellular Location: Secreted.

Purity: >95%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 1000µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.2

Predicted Molecular Mass: 42.0kDa

Accurate Molecular Mass: 52kDa as determined by SDS-PAGE reducing conditions.



[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. Gene Sequencing (Extract)




Figure 2. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.