

### Recombinant NEDD8-activating enzyme E1 regulatory subunit (ULA1)

Catalog No.: TP10132 100µg

#### **Sequence Information**

Species: YEAST Gene ID:856104

Swiss Prot:Q12059 Synonyms:

Residues: Met1-lle462

MERYDRQLRLWGALGQDSLNRSRVCVVGPATPLLQEVFKNLVLAGISSLTWLKV

ECAVQSGSLFLAELKKDLEPLASKQLEYEENDLRKTLQQPQYDWTRFSVVILTC

IGEQTAMLDLNEIRRQRGTKFPPVLNTFVSGFYGYIYLVLSETHFVLQAHPDSK

KYDLRLQNPWPELINYVDTFDLSKMDTATFSGIPYTVLLMKCIAKLERDGNNGR

ITIDQMKKVLDQICLPLGNDVIYEPNYVEAKRYAYLACSQNDCCKELEDLLRNL

EISDYGNDWHDTYNYEILTLLLTLKNIAKENGELSFQPLTGTLPDMESTTENYI

RLKKLYEVKAKLDKSRVEESLARSKKIVSQDVLETFCSHYGEVRKILPPKSDLL

GIFSTSNALLDALVMVQFWEQPAVTAEDKDEFIGLRVDDNYSVMAFFGGAVVQE

AIKLITHHYVPIDNLFLYNGINNSSATYKI

#### **Product Information**

**Source:** Recombinant expression.

Host: E.coli

Tags: N-terminal His-Tag

Subcellular Location: Cytoplasm.

**Purity: >90%** 

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 5.0

Predicted Molecular Mass: 59.2kDa

Accurate Molecular Mass: 59kDa as determined by SDS-PAGE reducing conditions.

## [USAGE]

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.5 mg/mL. Do not vortex.



### [ STORAGE AND STABILITY ]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## [ IDENTIFICATION ]




Figure 1. SDS-PAGE

# [ IMPORTANT NOTE ]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.