

Recombinant Splicing factor 3B subunit 4 (SF3B4)

Catalog No.: TP11084 100µg

Sequence Information

Species: Human Gene ID:10262

Swiss Prot:Q15427 Synonyms:AFD1; Hsh49; MGC10828; Pre

mRNA splicing factor SF3b 49 kDa

subunit; Pre-mRNA-splicing factor SF3b

49 kDa subunit; SAP 49; SAP49; Sf3b4;

SF3B4 HUMAN; SF3b49; SF3b50;

Residues: Ala2-Gln424

AAGPISERNQDATVYVGGLDEKVSEPLLWELFLQAGPVVNTHMPKDRVTGQHQG

YGFVEFLSEEDADYAIKIMNMIKLYGKPIRVNKASAHNKNLDVGANIFIGNLDP

EIDEKLLYDTFSAFGVILQTPKIMRDPDTGNSKGYAFINFASFDASDAAIEAMN

GQYLCNRPITVSYAFKKDSKGERHGSAAERLLAAQNPLSQADRPHQLFADAPPP

PSAPNPVVSSLGSGLPPPGMPPPGSFPPPVPPPGALPPGIPPAMPPPPMPPGAA

GHGPPSAGTPGAGHPGHGHSHPHPFPPGGMPHPGMSQMQLAHHGPHGLGHPHAG

PPGSGGQPPPRPPPGMPHPGPPPMGMPPRGPPFGSPMGHPGPMPPHGMRGPPPL

MPPHGYTGPPRPPPYGYORGPLPPPRPTPRPPVPPRGPLRGPLPO

Product Information

Source: Recombinant expression.

Host: E.coli

Tags: N-terminal His-Tag

Subcellular Location: Nucleus .

Purity: >90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.9

Predicted Molecular Mass: 50.6kDa

Accurate Molecular Mass: 51kDa as determined by SDS-PAGE reducing conditions.



[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.