

### Recombinant NADH Dehydrogenase, Quinone 1 (NQO1)

Catalog No.: TP11170 100µg

**Sequence Information** 

Species: Rat Gene ID: 24314

Swiss Prot:P05982 Synonyms:DHQU; DIA4; DTD; NMOR1;

NMORI; QR1; Azoreductase;

DT-diaphorase; Menadione reductase;

Phylloquinone reductase; Quinone

reductase 1; NAD(P)H:quinone

oxidoreductase 1

Residues: Ala2-Arg273

AVRRALIVLAHAERTSFNYAMKEAAVEALKKKGWEVVESDLYAMNFNPLISRND

ITGEPKDSENFQYPVESSLAYKEGRLSPDIVAEQKKLEAADLVIFQFPLYWFGV

PAILKGWFERVLVAGFAYTYATMYDKGPFQNKKTLLSITTGGSGSMYSLQGVHG

DMNVILWPIQSGILRFCGFQVLEPQLVYSIGHTPPDARVQVLEGWKKRLETVWE

ESPLYFAPSSLFDLNFQAGFLLKKEVQEEQKKNKFGLSVGHHLGKSIPADNQIK

AR

**Product Information** 

**Source:** Recombinant expression.

Host: E.coli

Tags: N-terminal His-Tag

Subcellular Location: Cytoplasm.

**Purity: >90%** 

**Traits:** Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and

Proclin300.

Original Concentration: 200µg/mL

**Applications:** Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 8.4

Predicted Molecular Mass: 34.4kDa

Accurate Molecular Mass: 34kDa as determined by SDS-PAGE reducing conditions.



# [USAGE]

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

# [STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

# [IDENTIFICATION]




Figure 1. SDS-PAGE

### [ IMPORTANT NOTE ]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.